

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	821	gateway and ((circular or ring) with (queue or memory or buffer or fifo))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	50	gateway same ((circular or ring) with (queue or memory or buffer or fifo))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	2541	(ec or agc or filter or sdg or (echo near2 canceller) or modem or encoder or decoder) same ((circular or ring) with (queue or memory or buffer or fifo))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	5	2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	3375	(ec or agc or filter or sdg or (echo near2 canceller) or modem or encoder or decoder) with gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	7	2 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	3	6 not 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	5863	(ec or agc or filter or sdg or (echo near2 canceller) or modem or encoder or decoder) same gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	14	2 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	6	9 not (4 or 7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	36	2 not (4 or 7 or 10)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	174	1 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

10/611,616

13	BRS	L13	121	1 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
----	-----	-----	-----	---------	--

	Type	L #	Hits	Search Text	DBs
14	BRS	L14	114	13 not (2 or 4 or 7 or 10)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L15	46	12 not (2 or 4 or 7 or 10 or 13)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	IS&R	L16	3	((("6400709") or ("6807589") or ("5596645"))).PN.	USPAT
17	BRS	L17	0	("6807589").URPN.	USPAT
18	BRS	L18	0	("6400709").URPN.	USPAT
19	BRS	L19	7	("5596645").URPN.	USPAT
20	BRS	L20	0	19 and gateway	USPAT
21	BRS	L21	7	(ec or agc or filter or sdg or (echo near2 canceller) or modem or encoder or decoder) and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L22	8	("4888739" "5363485" "5426756" "5471583" "5506809" "5537552" "5923900" "6101329").PN.	US-PGPUB; USPAT; USOCR
23	BRS	L23	3	("5949874" "6226303" "6259691").PN.	US-PGPUB; USPAT; USOCR
24	BRS	L24	1	("4792974").PN.	US-PGPUB; USPAT; USOCR
25	BRS	L25	12	22 or 23 or 24	US-PGPUB; USPAT; USOCR
26	BRS	L26	3	25 and gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	L27	8	(ec or agc or filter or sdg or (echo near2 canceller) or modem or encoder or decoder) and 25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	BRS	L28	5	25 and ((circular or ring) with (queue or memory or buffer or fifo))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	BRS	L29	0	26 and 27 and 28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	L30	3	(26 or 27) and 28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
31	BRS	L31	2	28 not 30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	BRS	L32	2	27 not (26 or 28)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	BRS	L33	2	25 not (26 or 28 or 27)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	IS&R	L34	1	("20030187824").PN.	US-PGPUB; USPAT
35	BRS	L35	0	34 and ((circular or ring) with (queue or memory or buffer or fifo))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB